THSA

Pre-participation Examination



| To be completed by athlete or parent prior t | to examination. | | | | | | | |
|---|--------------------------|---------------|-----------|----------------|-----------|---|----------|----------|
| Name | | | | | | School Year | | |
| | First | | М | liddle | | | | |
| Address | | | | | | _ City/State | | |
| | | | | | | | | |
| Phone No | Birthdate | | | Age | Class | Student ID No | | |
| Parent's Name | | | | | | Phone No. | | |
| | | | | | | | | |
| Address | | | | | | City/State | | |
| HISTORY FORM | | | | | | | | |
| | rescription and over-th | e-count | or mod | licines and s | unnlemen | nts (herbal and nutritional) that you are currently taking | | |
| inedicines and Allergies. Please list all of the pl | | e-count | | inclines and s | upplemen | its (herbal and hutilitional) that you are currently taking | | |
| | | | | | | | | |
| | | | | | | | | |
| , , , | | se ident | tify spe | cific allergy | | | | |
| Medicines | Pollens | | | | | Food Stinging Insects | | |
| Explain "Yes" answers below. Circle questions GENERAL QUESTIONS | s you don't know the a | nswers Yes | to. No | 1 [| | QUESTIONS | Yes | No |
| 1. Has a doctor ever denied or restricted your | participation in sports | 163 | NU | | | ou cough, wheeze, or have difficulty breathing during or after | 163 | NU |
| for any reason? | | | | | exerci | | | |
| 2. Do you have any ongoing medical conditions | | | | | | you ever used an inhaler or taken asthma medicine? | | |
| below: Asthma Anemia Diabetes Other: | Infections | | | - | | re anyone in your family who has asthma? | <u> </u> | |
| Have you ever spent the night in the hospita | al? | | | | | you born without or are you missing a kidney, an eye, a le (males), your spleen, or any other organ? | 1 | |
| 4. Have you ever had surgery? | | | | | | bu have groin pain or a painful bulge or hernia in the groin | | |
| HEART HEALTH QUESTIONS ABOUT YOU | | Yes | No | | area? | | | |
| 5. Have you ever passed out or nearly passed o | out DURING or AFTER | | | | | you had infectious mononucleosis (mono) within the last | 1 | |
| exercise? 6. Have you ever had discomfort, pain, tightne | ss or pressure in your | | | - | month | h? w have any rashes, pressure sores, or other skin problems? | <u> </u> | |
| chest during exercise? | ss, or pressure in your | | | - | | you had a herpes or MRSA skin infection? | | |
| 7. Does your heart ever race or skip beats (irre | gular beats) during | | | | | you ever had a head injury or concussion? | | |
| exercise? | | | | | | you ever had a hit or blow to the head that caused | | |
| 8. Has a doctor ever told you that you have an | | | | _ | | sion, prolonged headache, or memory problems? | | |
| so, check all that apply: □ High blood press □ High cholesterol □ A heart infection □ K | | | | - | | u have a history of seizure disorder? u have headaches with exercise? | <u> </u> | |
| Other: | | | | - | , | you ever had numbness, tingling, or weakness in your arms | | |
| 9. Has a doctor ever ordered a test for your he | art? (For example, | | | | | s after being hit or falling? | | |
| ECG/EKG, echocardiogram) | f har ath the a | | | - | | you ever been unable to move your arms or legs after being | | |
| Do you get lightheaded or feel more short o expected during exercise? | r breath than | | | - | | falling? | <u> </u> | |
| 11. Have you ever had an unexplained seizure? | | | | - | | you ever become ill while exercising in the heat? | | |
| 12. Do you get more tired or short of breath mo | ore quickly than your | | | | | bu or someone in your family have sickle cell trait or disease? | | |
| friends during exercise? | | | | | 43. Have | you had any problems with your eyes or vision? | | |
| HEART HEALTH QUESTIONS ABOUT YOUR FAMI 13. Has any family member or relative died of h | | Yes | No | - | | you had any eye injuries? | <u> </u> | |
| an unexpected or unexplained sudden death | | | | - | , | wwear glasses or contact lenses? wwwear protective eyewear, such as goggles or a face shield? | <u> </u> | |
| (including drowning, unexplained car accide | nt, or sudden infant | | | - | | www.worry about your weight? | | |
| death syndrome)? | | | | _ | | ou trying to or has anyone recommended that you gain or | | |
| Does anyone in your family have hypertroph Marfan syndrome, arrhythmogenic right ver | | | | _ | lose w | veight? | | |
| cardiomyopathy, long QT syndrome, short C | | | | | , | ou on a special diet or do you avoid certain types of foods? | ── | <u> </u> |
| syndrome, or catecholaminergic polymorphi | | | | - | | you ever had an eating disorder? you or any family member or relative been diagnosed with | <u> </u> | <u> </u> |
| tachycardia? | blass as 1 | | | | cance | , , , , | 1 | 1 |
| 15. Does anyone in your family have a heart pro implanted defibrillator? | bbiem, pacemaker, or | | | | | u have any concerns that you would like to discuss with a | | 1 |
| 16. Has anyone in your family had unexplained t | fainting, unexplained | - | 1 | | docto | | | |
| seizures, or near drowning? | | | | _ | FEMALES | ONLY you ever had a menstrual period? | Yes | No |
| BONE AND JOINT QUESTIONS | | Yes | No | - | | old were you when you had your first menstrual period? | | |
| Have you ever had an injury to a bone, musc tondon that caused you to miss a practice of | - | | | | | many periods have you had in the last 12 months? | | |
| tendon that caused you to miss a practice of 18. Have you ever had any broken or fractured l | - | - | | | | es" answers here | | |
| joints? | | | | E | хріані уе | | | |
| 19. Have you ever had an injury that required x- | | | | - | | | | |
| injections, therapy, a brace, a cast, or crutch 20. Have you ever had a stress fracture? | ies ? | | | - | | | | |
| Have you ever had a stress fracture? Have you ever been told that you have or had | ave vou had an x-rav | | | 1 - | | | | |
| for neck instability or atlantoaxial instability | | | | | | | | |
| dwarfism) | | | L | | | | | |
| 22. Do you regularly use a brace, orthotics, or of | | | | - | | | | |
| 23. Do you have a bone, muscle, or joint injury t 24. Do any of your joints become painful, swolle | | | <u> </u> | ┤ _ | | | | |
| red? | 211, 1001 Wallin, ULIUUK | | | | | | | |
| 25. Do you have any history of juvenile arthritis | or connective tissue | | | 1 - | | | | |
| disease? | | | 1 | 1 _ | | | | |

I hereby state that, to the best of my knowledge, my answers to the above questions are complete and correct.

Signature of athlete _______ Signature of parent/guardian ______ Date ______ ©2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment. HE0503



DUVSICAL EVAMINATION FORM

Pre-participation Examination



Examination Date

| | 1 | anne | | | | |
|---|----------------------------|----------|--------|------------------|----|--------|
| | | Last | | First | | Middle |
| EXAMINATION | | | | | | |
| Height Weight | 🗆 Male | Female | | | | |
| BP / (/) Pulse | e Vision | R 20/ | L 20/ | Corrected | | |
| MEDICAL | | | NORMAL | ABNORMAL FINDING | iS | |
| Appearance | | | | | | |
| Marfan stigmata (kyphoscoliosis, high-arched pal | | | | | | |
| arachnodactyly, arm span > height, hyperlaxity, n | nyopia, MVP, aortic insuff | iciency) | | | | |
| Eyes/ears/nose/throat | | | | | | |
| Pupils equal | | | | | | |
| Hearing | | | | | | |
| Lymph nodes | | | | | | |
| Heart ^a | | | | | | |
| Murmurs (auscultation standing, supine, +/- Valsa | alva) | | | | | |
| Location of point of maximal impulse (PMI) | | | | | | |
| Pulses | | | | | | |
| Simultaneous femoral and radial pulses | | | | | | |
| Lungs | | | | | | |
| Abdomen | | | | | | |
| Genitourinary (males only) ^b | | | | | | |
| Skin | | | | | | |
| HSV, lesions suggestive of MRSA, tinea corporis | | | | | | |
| Neurologic ^c | | | | | | |
| MUSCULOSKELETAL | | | | | | |
| Neck | | | | | | |
| Back | | | | | | |
| Shoulder/arm | | | | | | |
| Elbow/forearm | | | | | | |
| Wrist/hand/fingers | | | | | | |
| Hip/thigh | | | | | | |
| Knee | | | | | | |
| Leg/Ankle | | | | | | |
| Foot/toes | | | | | | |
| Functional | | | | | | |
| Duck-walk, single leg hop | | | | | | |

^aConsider ECG, echocardiogram, and referral to cardiology for abnormal cardiac history or exam. ^bConsider GU exam if in private setting. Having third party present is recommended.

Consider cognitive evaluation or baseline neuropsychiatric testing if a history of significant concussion.

On the basis of the examination on this day, I approve this child's participation in interscholastic sports for 395 days from this date.

Yes No Limited

Additional Comments:

| Physician's Signature | Physician's Name |
|--|------------------|
| Physician's Assistant Signature* | PA's Name |
| Advanced Nurse Practitioner's Signature* | ANP's Name |
| | |

*effective January 2003, the IHSA Board of Directors approved a recommendation, consistent with the Illinois School Code, that allows Physician's Assistants or Advanced Nurse Practitioners to sign off on physicals.

Concussion Information Sheet

A concussion is a brain injury and all brain injuries are serious. They are caused by a bump, blow or jolt to the head, or by a blow to another part of the body with the force transmitted to the head. They can range from mild to severe and can disrupt the way the brain normally works. Even though most concussions are mild, **all concussions are potentially serious and may result in complications including prolonged brain damage and death if not recognized and managed properly.** In other words, even a "ding" or a bump on the head can be serious. You can't see a concussions may show up right after the injury or can take hours or days to fully appear. If your child reports any symptoms of concussion, or if you notice the symptoms or signs of concussion yourself, seek medical attention right away.

What can happen if my child keeps on playing with a concussion or returns too soon?

Athletes with the signs and symptoms of concussion should be removed from play immediately. Continuing to play with the signs and symptoms of a concussion leaves the young athlete especially vulnerable to greater injury. There is an increased risk of significant damage from a concussion for a period of time after that concussion occurs, particularly if the athlete suffers another concussion before completely recovering from the first one. This can lead to prolonged recovery, or even to severe brain swelling (second impact syndrome) with devastating and even fatal consequences. It is well known that adolescent or teenage athletes will often fail to report symptoms of injuries. Concussions are no different. As a result, education of administrators, coaches, parents and students is the key to studentathlete's safety.

If you think your child has suffered a concussion

Any athlete even suspected of suffering a concussion should be removed from the game or practice immediately. No athlete may return to activity after an apparent head injury or concussion, regardless of how mild it seems or how quickly symptoms clear, without medical clearance. Close observation of the athlete should continue for several hours. IESA Policy requires athletes to provide their school with written clearance from either a physician licensed to practice medicine in all its branches in Illinois or a certified athletic trainer working in conjunction with a physician licensed to practice medicine in all its branches prior to returning to play or practice following a concussion or after being removed from an interscholastic contest due to a possible head injury or concussion and not cleared to return to that same contest. In accordance with state law, all IESA member schools are required to follow this policy.

You should also inform your child's coach if you think that your child may have a concussion. Remember it is better to miss one game than miss the whole season. And when in doubt, the athlete sits out.

Symptoms may include one or more of the following:

| Headaches | Amnesia |
|---|--|
| "Pressure in head" | • "Don't feel right" |
| Nausea or vomiting | • Fatigue or low energy |
| Neck pain | Sadness |
| Balance problems or dizziness | Nervousness or anxiety |
| Blurred, double, or fuzzy vision | Irritability |
| Sensitivity to light or noise | More emotional |
| Feeling sluggish or slowed down | Confusion |
| Drowsiness | Concentration or memory problems |
| Change in sleep patterns | (forgetting some plays) |
| Feeling groggy or foggy | Repeating the same |
| | guestion/comment |

۱

Signs observed by teammates, parents or coaches include:

| Appears dazed | Slurred speech |
|--|---|
| Vacant facial expression | Shows behavior or personality |
| | changes |
| Confused about assignment | • Can't recall events prior to hit |
| • Forgets play | • Can't recall events after hit |
| • Is unsure of game, score or | Seizures or convulsions |
| opponent | |
| Moves clumsily or displays | Any change in typical behavior or |
| incoordination | personality |
| Answers questions slowly | Loses consciousness |

Immaculate Conception School Morris, Illinois

Parent & Student Contract for IMPACT and Concussion Policy

(Immediate Post Concussion Assessments & Cognitive Testing)

Student Name (printed):

Grade:

List Sport(s):_____

I agree and understand that ICS has implemented a program to safeguard student athletes from traumatic brain concussions. I agree that my student athlete will have a physical sports examination before the season begins to obtain baseline data for future comparison, if he/she should suffer a concussion or be suspected of suffering a concussion. I understand that before the student will be allowed to participate in athletics again, a satisfactory result must be obtained from a repeated concussion assessment and cognitive testing experience that will be compared with the original baseline test data, from the athlete(s) licensed physician. A final determination to play following a possible concussion will be made by a licensed physician. ICS reserves the right to not allow student athletes to participate in sports if concussion or brain injury is suspected.

Return to Play Policy

In accordance to the IESA policy and Illinois State Law, a student athlete who is suspected of sustaining a concussion of head injury in a practice or game shall be removed from participating in practice or competition at that time.

A student athlete who has been removed from an interscholastic contest or practice for a possible concussion or head injury may NOT return to contest or practice unless cleared to do so by a licensed physician to practice medicine in all its branches in Illinois.

If not cleared to return to that contest, a student athlete can not return to play or practice until the student athlete has provided his or her school with written clearance from a licensed physician to practice medicine in all its branches and/or a certified athletic trainer working in conjunction with a physician to practice medicine in all its branches in Illinois. If there is a written clearance from a licensed physician to practice medicine in all its branches and/or athletic trainer, the student athlete must complete ImPACT testing and exertion portion of the return to play process in order to return to their prospective sport according to IHSA policy and Illinois Law.

If the student athlete signs/symptoms of a concussion persist or signs/symptoms return and/or during the return to play process, the athlete will be sent to a licensed physician that practices medicine in all its branches for further evaluation.

Impact test scores will be recorded once the athlete is asymptomatic from the concussion, from the athlete(s) licensed physician. Scores will be compared to baseline scores and be made available to parents, student athletes, attending physicians and athletic trainers consulting with a physician. Impact

tests must be normal when compared to baseline test results for a student athlete to progress to the next step in the return to play process.

Student athletes must be asymptomatic when beginning the following exertion/exercise components.

For each of the exertion/exercise components the student athlete must remain asymptomatic and cannot progress to the next step without waiting 24 hours between each step.

Step 1: 15-20 minutes of Light Aerobic Exercise (Stationary Bike)

Step 2: Sport Specific Training (i.e.: Running; Dribbling/Shooting; Technique Drills in Football)

- Step 3: Non-Contact Practice
- Step 4: Full Contact Practice

Step 5: Return to Competition/Game

"Consensus Statement on Concussion and Sport: the 4th International Conference on Concussion in Sport held in Zurich, November 2012." Journal of Athletic Training. 2013; (4): 434-448.

If at any time the student athlete experiences reoccurring signs and symptoms of a concussion, the athlete will wait 24 hours and return to the previous step in the protocol and progress according to the above steps.

| Student's Name (printed): | |
|------------------------------------|------|
| Student's Signature: | |
| Parent's Name (printed): | |
| Parent's Signature | |
| Emergency Contact Name | |
| Emergency Contact Phone Number(s): | |

Return to Play Policy

In accordance to the IESA policy and Illinois State Law, a student athlete who is suspected of sustaining a concussion of head injury in a practice or game shall be removed from participating in practice or competition at that time.

A student athlete who has been removed from an interscholastic contest or practice for a possible concussion or head injury may NOT return to contest or practice unless cleared to do so by a licensed physician to practice medicine in all its branches in Illinois and/or a certified athletic trainer. If not cleared to return to that contest, a student athlete cannot return to play or practice until the student athlete has provided his or her school with written clearance from a licensed physician to practice medicine in all its branches. If there is a written clearance from a licensed physician to practice medicine in all its branches. If there is a written clearance from a licensed physician to practice medicine in all its branches and/or athletic trainer, the student athlete must complete ImPACT testing and exertion portion of the return to play process in order to return to their prospective sport according to IESA policy and Illinois Law.

If the student athlete signs/symptoms of a concussion persist or signs/symptoms return and/or during the return to play process, the athlete will be sent to a licensed physician that practices medicine in all its branches for further evaluation. Impact test scores will be recorded once the athlete is asymptomatic from the concussion.

Scores will be compared to baseline scores and be made available to parents, student athletes, and the athlete's attending physician.

Impact tests must be normal when compared to baseline test results for a student athlete to progress to the next step in the return to play process.

Student athletes must be asymptomatic when beginning the following exertion/exercise components

For each of the exertion/exercise components the student athlete must remain asymptomatic and cannot progress to the next step without waiting 24 hours between each step. Step 1: 15-20 minutes of Light Aerobic Exercise (Stationary Bike) Step 2: Sport Specific Training (i.e.: Running; Dribbling/Shooting; Technique Drills in Football) Step 3: Non-Contact Practice Step 4: Full Contact Practice Step 5: Return to Competition/Game "Consensus Statement on Concussion and Sport: the 4th International Conference on Concussion in Sport held in Zurich, November 2012." Journal of Athletic Training. 2013; (4): 434-448.

If at any time the student athlete experiences reoccurring signs and symptoms of a concussion, the athlete will wait 24 hours and return to the previous step in the protocol and progress according to the above steps.

For current and up-to-date information on concussions you can go to: http://www.cdc.gov/ConcussionInYouthSports/